

viho Outstanding
OTX solutions



Catalogue2022

chemofoot

Prophylactic & prevention
hand-foot syndrome cream



Indications:

- Complications of chemotherapy (HFSR – hand-foot skin reaction).
- Moisturizing and softening of irritated skin.
- Creating proper environment for natural regenerating processes.
- Decreasing symptoms of itching, burning and tightness.

Active ingredients' properties:

- Urea – attracts and retains water.
- Omega Plus – a complex of vegetable oils, which supports the regeneration and increases the barrier of the epidermis (protects against water loss), improves skin elasticity
- Soybean oil – increases the skin barrier function.
- Shea Butter – moisturises and oils the skin.
- Silk proteins – contains fibroin and sericin proteins. Fibroin prevents from dry skin without irritating side effects. Sericin improves the epidermal barrier, reducing water loss through the skin.
- SyriCalm™ CLR – an antipruritic substance, soothing and restoring the skin's protective function.

Usage:

Adults, before and during treatment.


Packaging:

Plastic tube 100 ml.



ginsixforte

Prophylactic & prevention
chemotherapy induced
nausea and vomiting

 Food supplement



Indications:

- Chemotherapy induced Nausea and Vomiting (CINV)
- Anticipatory Nausea and Vomiting (ANV).
- Creates peace of mind to the patient in front of the treatment.
- Improves mood

Active ingredients' properties:

- Ginger:
 - Antiemetic activity: Suppressing 5-HT receptor.
 - Antioxidant activity: Nrf2 signalling pathway.
 - Anti-inflammatory Activity: pro-inflammatory and antiinflammatory cytokines- PI3K/Akt and NF-kB signaling.
 - Neuroprotection: Anti-neuroinflammatory. Upregulating the level of NGF.
- Vitamin B6:
 - Has been known to have antiemetic effects since 1942.

Usage:

Adults, 5 days before and during treatment, 4 capsules a day.

Packaging:

Blister. 30 caps per pack.



redian

Regeneration of the skin after radiotherapy



Indications:

- Supports regeneration of the skin after radiation therapy.
- Supports the treatment of skin burns of the first degree.
- Relieves feeling of pain and burning of damaged skin.
- Ensures adequate environment for physiological bacterial flora development.

Active ingredients' properties:

- Hyaluronic acid – binds water, ensures proper environment for natural regeneration process.
- SyriCalm™ CLR – moisturizes, protects against excessive loss of water, strengthens the epidermis barrier that alleviates the feeling of itching.
- Prebiotic Biolin P – provides the right balance of microbiological flora, supporting the skin's protective barrier prone to damage.
- L-arginine – a natural amino acid, used in the treatment of invasive skin actions, increases skin hydration and strengthens lipid barrier.

Usage:

Adults, after radiation therapy.

Packaging:

Spray: Microdiffusion spray 50 ml.
Gel: Airless bottle 50 ml.



xeriho

Protective oral cavity coating gel



Indications:

- Severe dryness and inflammation of the mucous membranes of the mouth during and after chemotherapy/radiation.
- Recommended for people suffering from xerostomia.
- Helps to increase the humidity of the mucous membranes.

Active ingredients' properties:

- Mucosave CG – has strong mucoadhesive activity, due to Opuntia polysaccharides and a lenitive effect from olive biophenols.
- Xylitol – helps to hold and retain moisture.
- Hydroxyethylcellulose – creates protective film, helps to maintain proper hydration of oral mucosa.
- Sodium chloride – source of minerals, which protect from tooth decay.

Usage:

Adults – cancer patients, during and after chemotherapy/radiation.

Packaging:

Plastic tube.



viho Outstanding
OTX solutions

www.viho.es / www.ginsix.com

Prospectia Overseas Consulting SL

Corporate headquarters:
Gran Via. Corts Catalanes 936
08018 Barcelona

Commercial office:
Espai d'Empreses i Serveis LullMar
c/ Bac de Roda, 63, Despatx D11 / 08005 Barcelona